Open Multideck

33°F ... 50°F

30°F ... 44°F

30°F ... 41°F



Climatic class H1/M1/M2 Humidity 60% Ambient temp 77°F Air speed 0,2m/sec



Self contained open multideck









Open Multideck

33°F ... 50°F 30°F ... 44°F 30°F ... 41°F




Climatic class H1/M1/M2 Humidity 60% Ambient temp 77°F Air speed 0,2m/sec

This low profile upright refrigerator is an eyecatching, compact solution to display merchandise. Banners for branding or promotional campaigns can be installed as an option. Its wide temperature range provides for optimal storage of dairy products, meat, fruits, and vegetables. Refrigerated cabinet BOSTON S can be located behind the counter as an additional cabinet for storage.

Standard:

- Sturdy construction suitable for huge loads
- Alternative lengths
- Plastic bumper
- Multiplexable device
- Canopy lighting
- Air curtain
- Wide choice of colors for the exterior and interior (RAL palette)
- Electronic temperature controller with a digital display
- Energy-saving electronically commutated fans
- Polyurethane thermal insulation CFC free.



Self contained open multideck









Open Multideck

33°F ... 50°F 30°F ... 44°F

30°F ... 41°F




Climatic class H1/M1/M2 Humidity 60% Ambient temp 77°F Air speed 0,2m/sec

Accessories:

- Cover panel for endwall
- Upper mirror
- Price holder
- Hooks
- Hooks with price holder
- "Spider" hooks
- Shelf cover
- Shelf board
- · Wire shelf board
- Metal shelf divider
- Plexiglass fence for shelf
- Wire fence for shelf
- Wire fence for bottom deck
- Wire divider for bottom deck
- Wire bottom basket

3 3

• Night Blinds.



NOTE: We reserve the right to change or revise specifications and product design in connection with any feature of our products. Such changes do not entitle the buyer to corresponding changes, improvements, additions, or replacements for equipment previously sold or shipped.









Open Multideck

33°F ... 50°F 30°F ... 44°F

30°F ... 41°F



Climatic class H1/M1/M2 Humidity 60% Ambient temp 77°F Air speed 0,2m/sec



Self contained open multideck



Options:

- LED shelf illumination
- Hinged doors
- Doors lighting
- Front glass packet (saves up to 15 % of energy)
- Endwall alternatives: panoramic (RAL7024; RAL7040) or solid
- Solid or mirrored inner side panel
- Manual night blinds
- Defrost heater.







