

## **Multi-Deck**

34 - 50°F / 1 - 10°C

Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec



High Capacity, Multi-Deck Convertible Merchandiser for All Medium Temperature Fruit and Vegtables










### **Multi-Deck**

34 - 50°F / 1 - 10°C

Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec

#### **HUDSON F&V L8**



HUDSON F&V refrigerated cabinet with an inclined display surface, specially designed to create an attractive presentation for the sales of fruit and vegetables in stores. The specific construction of shelves with boxes provides the best way to display fresh produce in a vertical approach.








# RIMACOLD

## **Multi-Deck**

34 - 50°F / 1 - 10°C

Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec

#### **HUDSON F&V L7**



HUDSON F&V refrigerated cabinet with an inclined display surface, specially designed to create an attractive presentation for the sales of fruit and vegetables in stores. The specific construction of shelves with boxes provides the best way to display fresh produce in a vertical approach.








# RIMACOLD

## **Multi-Deck**

34 - 50°F / 1 - 10°C

Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec

#### HUDSON F&V H7



HUDSON F&V refrigerated cabinet with an inclined display surface, specially designed to create an attractive presentation for the sales of fruit and vegetables in stores. The specific construction of shelves with boxes provides the best way to display fresh produce in a vertical approach.








# RIMACOLD

### **Multi-Deck**

34 - 50°F / 1 - 10°C

Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec

#### **HUDSON F&V H8**



HUDSON F&V refrigerated cabinet with an inclined display surface, specially designed to create an attractive presentation for the sales of fruit and vegetables in stores. The specific construction of shelves with boxes provides the best way to display fresh produce in a vertical approach.









### **Multi-Deck**

34 - 50°F / 1 - 10°C

Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec

#### **Standard**

- Sturdy construction suitable for huge loads
- Alternative depths and heights
- Plastic bumper
- Multiplexable device
- Double air curtain
- Wide choice of colors for the exterior and interior (RAL palette)
- Electronic temperature controller with a digital display
- Energy-saving electronically commutated fans
- Polyurethane thermal insulation CFC free.

#### **Options**

- Stylish external lighting
- Canopy Lighting
- Stainless steel bottom protection
- Endwall alternatives (panoramic; semi-panoramic; solid)
- Solid or mirrored inner side panel
- Manual or electric night blinds
- Defrost heater.
- -45° Mirror





Product images are for illustrative purposes only and may differ from the actual product of the latest design.



