# **Multi-Deck**

34 - 44°F / 30 - 41°F 1 - 7°C / -1 - 5°C



Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec



High Capacity, Multi-Deck Convertible Merchandiser for All Medium Temperature Applications








## **Multi-Deck**

34 - 44°F / 30 - 41°F 1 - 7°C / -1 - 5°C



Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec

### **HUDSON XL5**



High Capacity, Multi-Deck Convertible Merchandiser for All Medium Temperature Applications

This large capacity multideck cabinet provides an excellent presentation for any product put on display. Thanks to extensive options of cabinet configurations and accessories, MANHATTAN is an ideal solution for each store type and each product range.

Balanced cold air circulation between the shelves ensures the perfect preservation of merchandise. The powder-coated, zinc-plated metal (1.4 mm thickness) construction serves as a guaranty for durability.

Dual air curtains help save energy. A version of a multideck chiller with doors can be ordered for better energy efficiency or open version – for a high sales turnover.

Night blinds available for reduced energy consumption. This multideck chiller is multiplexable, can be joined into rows or form a separate island.

NOTE: We reserve the right to change or revise specifications and product design in connection with any feature of our products. Such changes do not entitle the buyer to corresponding changes, improvements, additions, or replacements for equipment previously sold or shipped.








## **Multi-Deck**

34 - 44°F / 30 - 41°F 1 - 7°C / -1 - 5°C



Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec

### **HUDSON XL6**



High Capacity, Multi-Deck Convertible Merchandiser for All Medium Temperature Applications

NOTE: We reserve the right to change or revise specifications and product design in connection with any feature of our products. Such changes do not entitle the buyer to corresponding changes, improvements, additions, or replacements for equipment previously sold or shipped.







Product images are for illustrative purposes only and may differ from the actual product of the latest design.






**RIMASEE** 

# RIMACOLD


## **Multi-Deck**

34 - 44°F / 30 - 41°F 1 - 7°C / -1 - 5°C Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec

## **HUDSON XL7**



### **HUDSON XL8**



High Capacity, Multi-Deck Convertible Merchandiser for All Medium Temperature Applications

NOTE: We reserve the right to change or revise specifications and product design in connection with any feature of our products. Such changes do not entitle the buyer to corresponding changes, improvements, additions, or replacements for equipment previously sold or shipped.







## **Multi-Deck**

34 - 44°F / 30 - 41°F 1 - 7°C / -1 - 5°C



Climatic class 3H Humidity 60% Ambient temp +25°C Air speed 0,2m/sec

#### **Standard**

- Sturdy construction suitable for huge loads
- Alternative depths and heights
- Plastic bumper
- Multiplexable device
- Canopy lighting
- Double air curtain
- Wide choice of colors for the exterior and interior (RAL palette)
- Electronic temperature controller with a digital display
- Energy-saving electronically commutated fans
- Polyurethane thermal insulation CFC free.

### **Accessories**

- Cover panel for endwall
- Upper mirror
- Price holder
- Hooks
- Shelf cover
- Shelf board
- Wire shelf board
- Metal shelf divider
- Plexiglass fence for shelf
- Wire fence for shelf
- Wire fence for bottom deck
- Wire divider for bottom deck
- Wire bottom basket
- Wire bottom deck
- Wire bottom deck inclined
- Night Blinds.

### **Options**

- Stylish external lighting
- Upper interior lighting
- LED shelf illumination
- Sliding or hinged doors
- Doors lighting
- Front glass packet (saves up to 15 % of energy)
- Stainless steel bottom protection
- Endwall alternatives (panoramic; semi-panoramic; solid)
- Solid or mirrored inner side panel
- Manual or electric night blinds
- Defrost heater.



Product images are for illustrative purposes only and may differ from the actual product of the latest design.





