

# CATALOG 2025





CATALOG  
JAN 2025 |  
V1



MORE THAN A COMPANY

# A BUSINESS PARTNER

In the dynamic world of commercial refrigeration, choosing the right solutions is essential to ensure the preservation, display, and effective presentation of products while promoting efficiency and sustainability.

This catalogue has been strategically designed to support our partners in identifying the best solutions for their specific needs. By combining cutting-edge technology, energy efficiency, and a modern, functional design, our equipment not only enhances operational performance but also contributes to creating attractive and optimized commercial environments.





## INDEX

03 ABOUT US

06 MULTIDECKS

40 SEMI VERTICALS

68 SERVE-OVER COUNTERS

122 ISLANDS

130 PROMOTIONAL





MORE THAN A COMPANY, A BUSINESS PARTNER

# MULTIDECKS

08 HYSO PT 16  
10 HYSO PT 19  
12 HYSO PT 21  
14 HYSO PC 16  
16 HYSO PC 19  
18 HYSO PC 21  
20 SLENDER  
22 W060 PT  
24 W060 PC

26 W080 PT  
28 W080 PC  
30 W081 PT  
32 W081 PC  
34 F080 PT  
36 F080 SS  
38 EIGER



# HYSO PT 16



Length	1300	1925	2550
Depth	748	748	748
Height	2132	2132	2132
Net weight	268	363	486

## STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Self-closing hinged full vision front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Acrylic product stopper
- Full vision sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

## POSITIVE POINTS


- Strategic visibility

The reduced height provides clear visibility over the equipment, allowing the customer to have a more open shopping experience with an overall view of the store.
- Compact design

Maximizes space usage, allowing for the display of additional products vertically, taking advantage of upper areas for cross merchandising.
- Energy control

Designed to ensure low energy consumption, with double tempered glass and a ventilated refrigeration system that maintains the ideal temperature.
- Durability

The sliding condenser unit allows easy access to the condenser, ensuring quick and hassle-free maintenance, which guarantees continuous performance and extends the equipment's durability.



BASE PRICE	130	190	250
Plug-in		On request	
Remote		On request	

## OPTIONS

Upper sling bar for hooks	On request	
Display area in painted plate (RAL)	On request	
Display area in AISI 304 stainless steel	On request	
Exterior decoration in painted plate (RAL)	On request	
Exterior decoration in AISI 304 stainless steel	On request	
Treated evaporator	On request	
LED lighting on shelves	On request	
Mirrored interior sides	On request	
Joining kit	On request	
Castors with brakes	On request	
Sliding condenser unit for maintenance	On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request	

## COMPLEMENTS

1 level of removable/adjustable hooks (4 units)	On request	
1 level of removable/adjustable hooks with price holders (4 units)	On request	
1 level of skinplate shelves	On request	
1 level of stainless steel shelves	On request	
Price holder	On request	
Acrylic product divider	On request	
Custom pallet	Standard	
Wooden crate	On request	





# HYSO PT 19



Length	1300	1925	2550
Depth	748	748	748
Height	2132	2132	2132
Net weight	268	363	486

## STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Self-closing hinged full vision front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Acrylic product stopper
- Full vision sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

## POSITIVE POINTS



- Flexibility

The intermediate height allows for easy adaptation to spaces with height restrictions, offering a versatile solution for establishments with limitations in vertical space.
- Functional design

Perfect for high-turnover environments where efficiency and ergonomics are essential, without compromising the aesthetics and functionality of the space.
- Low energy consumption

The intelligent design with double tempered glass and a ventilated refrigeration system ensures efficient temperature distribution, contributing to more sustainable and cost-effective long-term operation.
- Simplified maintenance

The sliding condenser unit allows for quick and efficient cleaning, ensuring the equipment operates optimally for a longer time with minimal effort.



BASE PRICE	130	190	250
Plug-in		On request	
Remote		On request	

## OPTIONS

Upper sling bar for hooks		On request	
Display area in painted plate (RAL)		On request	
Display area in AISI 304 stainless steel		On request	
Exterior decoration in painted plate (RAL)		On request	
Exterior decoration in AISI 304 stainless steel		On request	
Treated evaporator		On request	
LED lighting on shelves		On request	
Mirrored interior sides		On request	
Joining kit		On request	
Castors with brakes	On request		
Sliding condenser unit for maintenance		On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz		On request	

## COMPLEMENTS

1 level of removable/adjustable hooks (4 units)		On request	
1 level of removable/adjustable hooks with price holders (4 units)		On request	
1 level of skinplate shelves		On request	
1 level of stainless steel shelves		On request	
Price holder		On request	
Acrylic product divider		On request	
Custom pallet		Standard	
Wooden crate		On request	





# HYSO PT 21




Length	1300	1925	2550
Depth	748	748	748
Height	2132	2132	2132
Net weight	268	363	486

## STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Self-closing hinged full vision front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Acrylic product stopper
- Full vision sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

## POSITIVE POINTS

- Load capacity**  
Ideal for spaces requiring high display capacity, allowing for the optimized organization of products of various sizes and types.
- Functional design**  
Perfect for high-turnover environments where efficiency and ergonomics are essential, without compromising the aesthetics and functionality of the space.
- Low energy consumption**  
The intelligent design with double tempered glass and a ventilated refrigeration system ensures efficient temperature distribution, contributing to more sustainable and cost-effective long-term operation.
- Durability**  
The sliding condenser unit allows easy access to the condenser, ensuring quick and hassle-free maintenance, which guarantees continuous performance and extends the equipment's durability.



## BASE PRICE

130

190

250

Plug-in	On request
Remote	On request

## OPTIONS

Upper sling bar for hooks	On request
Display area in painted plate (RAL)	On request
Display area in AISI 304 stainless steel	On request
Exterior decoration in painted plate (RAL)	On request
Exterior decoration in AISI 304 stainless steel	On request
Treated evaporator	On request
LED lighting on shelves	On request
Mirrored interior sides	On request
Joining kit	On request
Castors with brakes	On request
Sliding condenser unit for maintenance	On request
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request

## COMPLEMENTS

1 level of removable/adjustable hooks (4 units)	On request
1 level of removable/adjustable hooks with price holders (4 units)	On request
1 level of skinplate shelves	On request
1 level of stainless steel shelves	On request
Price holder	On request
Acrylic product divider	On request

Custom pallet	Standard
Wooden crate	On request





# HYSO PC 16





Length	1300	1925	2550
Depth	717	717	717
Height	2132	2132	2132
Net weight	264	357	480

## STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Sliding full vision front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Acrylic product stopper
- Full vision sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

## POSITIVE POINTS

- Strategic visibility**  
The reduced height provides clear visibility over the equipment, allowing the customer to have a more open shopping experience with an overall view of the store.
- Adaptability**  
Ideal for narrow aisles and limited spaces, enabling efficient circulation and layout optimization in environments with restricted passage areas.
- Accessibility**  
With a height of only 54 cm from the ground, the display area is close and accessible, making it easier to organize and access the products.
- Durability**  
The sliding condenser unit allows easy access to the condenser, ensuring quick and hassle-free maintenance, which guarantees continuous performance and extends the equipment's durability.



BASE PRICE	130	190	250
Plug-in		On request	
Remote		On request	

## OPTIONS

Upper sling bar for hooks	On request	
Display area in painted plate (RAL)	On request	
Display area in AISI 304 stainless steel	On request	
Exterior decoration in painted plate (RAL)	On request	
Exterior decoration in AISI 304 stainless steel	On request	
Treated evaporator	On request	
LED lighting on shelves	On request	
Mirrored interior sides	On request	
Joining kit	On request	
Castors with brakes	On request	
Sliding condenser unit for maintenance	On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request	

## COMPLEMENTS

1 level of removable/adjustable hooks (4 units)	On request	
1 level of removable/adjustable hooks with price holders (4 units)	On request	
1 level of skinplate shelves	On request	
1 level of stainless steel shelves	On request	
Price holder	On request	
Acrylic product divider	On request	
Custom pallet	Standard	
Wooden crate	On request	





# HYSO PC 19




Length	1300	1925	2550
Depth	717	717	717
Height	2132	2132	2132
Net weight	264	357	480

## STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Sliding full vision front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Acrylic product stopper
- Full vision sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

## POSITIVE POINTS

- Flexibility  
The intermediate height allows for easy adaptation to spaces with height restrictions, offering a versatile solution for establishments with limitations in vertical space.
- Adaptability  
Ideal for narrow aisles and small spaces, allowing for efficient circulation and layout optimization in environments with limited passage areas.
- Accessibility  
With a height of only 54 cm from the ground, the display area is close and accessible, making it easier to organize and access the products.
- Simplified maintenance  
The sliding condenser unit allows for quick and efficient cleaning, ensuring the equipment operates optimally for a longer time with minimal effort.



BASE PRICE	130	190	250
Plug-in		On request	
Remote		On request	

## OPTIONS

Upper sling bar for hooks	On request
Display area in painted plate (RAL)	On request
Display area in AISI 304 stainless steel	On request
Exterior decoration in painted plate (RAL)	On request
Exterior decoration in AISI 304 stainless steel	On request
Treated evaporator	On request
LED lighting on shelves	On request
Mirrored interior sides	On request
Joining kit	On request
Castors with brakes	On request
Sliding condenser unit for maintenance	On request
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request

## COMPLEMENTS

1 level of removable/adjustable hooks (4 units)	On request
1 level of removable/adjustable hooks with price holders (4 units)	On request
1 level of skinplate shelves	On request
1 level of stainless steel shelves	On request
Price holder	On request
Acrylic product divider	On request
Custom pallet	Standard
Wooden crate	On request



# HYSO PC 21





Length	1300	1925	2550
Depth	717	717	717
Height	2132	2132	2132
Net weight	264	357	480

## STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Sliding full vision front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Acrylic product stopper
- Full vision sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

## POSITIVE POINTS

- Maximum capacity**  
With a width of 70 cm, it offers a large display area, ideal for showcasing a wide range of products efficiently.
- Accessibility**  
With a height of just 54 cm from the ground, the display area is close and accessible, making it easier to organize and access products.
- Low energy consumption**  
The intelligent design with double tempered glass and a ventilated refrigeration system ensures efficient temperature distribution, contributing to more sustainable and cost-effective long-term operation.
- Durability**  
The sliding condenser unit allows easy access to the condenser, ensuring quick and hassle-free maintenance, which guarantees continuous performance and extends the equipment's durability.



## BASE PRICE

130

190

250

Plug-in	On request
Remote	On request

## OPTIONS

Upper sling bar for hooks	On request
Display area in painted plate (RAL)	On request
Display area in AISI 304 stainless steel	On request
Exterior decoration in painted plate (RAL)	On request
Exterior decoration in AISI 304 stainless steel	On request
Treated evaporator	On request
LED lighting on shelves	On request
Mirrored interior sides	On request
Joining kit	On request
Castors with brakes	On request
Sliding condenser unit for maintenance	On request
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request

## COMPLEMENTS

1 level of removable/adjustable hooks (4 units)	On request
1 level of removable/adjustable hooks with price holders (4 units)	On request
1 level of skinplate shelves	On request
1 level of stainless steel shelves	On request
Price holder	On request
Acrylic product divider	On request

Custom pallet	Standard
Wooden crate	On request





# SLENDER




Length	800
Depth	392
Height	2213
Net weight	-

STANDARD

- 6 levels of removable shelves
- Self-closing hinged front doors with double tempered glass
- Interior and exterior in skinplate
- Skinplate product stopper
- Solid sides
- Ventilated refrigeration
- Vertical LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Adjustable feet
- Fixation kit

POSITIVE POINTS

- Space maximization**  
With only 35 cm of depth, the SLENDER makes the most of the available space, ideal for environments with space limitations.
- Versatility**  
Easily adapts to different configurations, can be attached to the end of multideck or embedded in a wall, making it a strategic solution for distributors and retailers looking to maximize sales in compact spaces.
- Functional design**  
Simple and compact lines, easily integrable into any commercial space without overwhelming the environment.
- Temperature control**  
The ventilated refrigeration system ensures uniform temperature distribution, guaranteeing optimal display and preservation.



BASE PRICE

80

Plug-in	On request
Remote	On request

OPTIONS

Display area in painted plate (RAL)	On request
Display area in AISI 304 stainless steel	On request
Exterior decoration in painted plate (RAL)	On request
Exterior decoration in AISI 304 stainless steel	On request
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request

COMPLEMENTS

Price holder	On request
Custom pallet	Standard
Wooden crate	On request



# W060 PT




Length	1037	1272	1537
Depth	626	626	626
Height	1952	1952	1952
Net weight	162	191	216

## STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Self-closing hinged front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Display sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- Vertical LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

## POSITIVE POINTS

- Compact**  
With only 60 cm of depth, it can be easily positioned in small spaces, maximizing product visibility in strategic locations.
- Energy control**  
Featuring pivot doors and double-tempered glass sides, it ensures low energy consumption, providing an efficient solution for your business.
- Practicality**  
Organize and highlight products with the 4 adjustable, inclined shelves.
- Temperature management**  
Uniform temperature distribution ensures the preservation of the nutritional properties of food.



BASE PRICE	100	130	150
Plug-in	On request	On request	On request
Remote		On request	

## OPTIONS

Upper sling bar for hooks		On request	
Display area in painted plate (RAL)		On request	
Display area in AISI 304 stainless steel		On request	
Exterior decoration in painted plate (RAL)		On request	
Exterior decoration in AISI 304 stainless steel		On request	
Treated evaporator		On request	
LED lighting on shelves		On request	
Solid sides		On request	
Panoramic sides		On request	
Supplementary shelf level without lighting		On request	
Supplementary shelf level with lighting		On request	
Joining kit		On request	
Castors with brakes		On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz		On request	

## COMPLEMENTS

1 level of removable/adjustable hooks (4 units)		On request	
1 level of removable/adjustable hooks with price holders (4 units)		On request	
1 level of skinplate shelves		On request	
1 level of stainless steel shelves		On request	
Stainless steel product stopper		On request	
Price holder		On request	
Acrylic product divider		On request	
Custom pallet		Standard	
Wooden crate		On request	





# W060 PC



Length	1037	1272	1537
Depth	629	629	629
Height	1952	1952	1952
Net weight	162	191	216

STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Front sliding doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Display sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

POSITIVE POINTS


- Optimization

With only 60 cm of depth and front sliding doors, it can be easily positioned in limited spaces, enabling efficient product display without taking up much room.
- Energy control

With pivot doors and double-tempered glass sides, it ensures low energy consumption, making it an efficient solution for your business.
- Practicality

Organize and highlight products with the 4 adjustable, inclined shelves.
- Temperature management

Uniform temperature distribution ensures the preservation of the nutritional properties of food.



BASE PRICE	100	130	150
Plug-in		On request	
Remote		On request	

OPTIONS

Upper sling bar for hooks	On request
Display area in painted plate (RAL)	On request
Display area in AISI 304 stainless steel	On request
Exterior decoration in painted plate (RAL)	On request
Exterior decoration in AISI 304 stainless steel	On request
Treated evaporator	On request
LED lighting on shelves	On request
Solid sides	On request
Panoramic sides	On request
Supplementary shelf level without lighting	On request
Supplementary shelf level with lighting	On request
Joining kit	On request
Castors with brakes	On request
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request

COMPLEMENTS

1 level of removable/adjustable hooks (4 units)	On request
1 level of removable/adjustable hooks with price holders (4 units)	On request
1 level of skinplate shelves	On request
1 level of stainless steel shelves	On request
Stainless steel product stopper	On request
Price holder	On request
Acrylic product divider	On request
Custom pallet	Standard
Wooden crate	On request



# W080 PT





Length	1037	1272	1537	1982	2452
Depth	815	815	815	815	815
Height	1952	1952	1952	1952	1952
Net weight	268	306	351	416	607

### STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Self-closing hinged front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Display sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- Vertical LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

### POSITIVE POINTS

- Efficient management**  
Optimized performance with low energy consumption, helping to reduce operational costs, thanks to the pivoting front doors and double-tempered glass side displays.
- Multiplexable**  
The multiplexable flexibility enables this display case to seamlessly adapt to various business types and display requirements.
- Highlight**  
With 4 adjustable and inclinable shelves, it ensures extensive display while emphasizing product visibility.
- Temperature control**  
The ventilated refrigeration system ensures uniform temperature distribution, guaranteeing optimal display and preservation.



BASE PRICE	100	130	150	200	250
Plug-in	On request				
Remote	On request				

### OPTIONS

Upper sling bar for hooks	On request	
Display area in painted plate (RAL)	On request	
Display area in AISI 304 stainless steel	On request	
Exterior decoration in painted plate (RAL)	On request	
Exterior decoration in AISI 304 stainless steel	On request	
Treated evaporator	On request	
LED lighting on shelves	On request	
Solid sides	On request	
Panoramic sides	On request	
Supplementary shelf level without lighting	On request	
Supplementary shelf level with lighting	On request	
Joining kit	On request	
Castors with brakes	On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request	

### COMPLEMENTS

1 level of removable/adjustable hooks (4 units)	On request				
1 level of removable/adjustable hooks with price holders (4 units)	On request				
1 level of skinplate shelves	On request				
1 level of stainless steel shelves	On request				
Stainless steel product stopper	On request				
Price holder	On request				
Acrylic product divider	On request				
Custom pallet	Standard				
Wooden crate	On request				





MULTIDECKS

W080 PC



Length	1037	1272	1537	1982
Depth	819	819	819	819
Height	1952	1952	1952	1952
Net weight	-	306	351	416

STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Front sliding doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Display sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

POSITIVE POINTS


- +

**Load capacity**  
Featuring sliding front doors, it provides increased display area and high load capacity.
- +

**Flexibility**  
Easy and unlimited multiplexable allowing greater adaptation to spaces and business types.
- +

**Highlight**  
With 4 adjustable and inclinable shelves, it ensures extensive display while emphasizing product visibility.
- +

**Temperature control**  
The ventilated refrigeration system ensures uniform temperature distribution, guaranteeing optimal display and preservation.



BASE PRICE	100	130	150	200
Plug-in	On request			
Remote	On Request			

OPTIONS

Upper sling bar for hooks	On request	
Display area in painted plate (RAL)	On request	
Display area in AISI 304 stainless steel	On request	
Exterior decoration in painted plate (RAL)	On request	
Exterior decoration in AISI 304 stainless steel	On request	
Treated evaporator	On request	
LED lighting on shelves	On request	
Solid sides	On request	
Panoramic sides	On request	
Supplementary shelf level without lighting	On request	
Supplementary shelf level with lighting	On request	
Joining kit	On request	
Castors with brakes	On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request	

COMPLEMENTS

1 level of removable/adjustable hooks (4 units)	On request			
1 level of removable/adjustable hooks with price holders (4 units)	On request			
1 level of skinplate shelves	On request			
1 level of stainless steel shelves	On request			
Stainless steel product stopper	On request			
Price holder	On request			
Acrylic product divider	On request			
Custom pallet	Standard			
Wooden crate	On request			



# W081 PT



Length	1045	1280	1545	1990	2460
Depth	816	816	816	816	816
Height	1952	1952	1952	1952	1952
Net weight	232	245	285	375	-

STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Self-closing hinged front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides
- Multiplexible
- Ventilated refrigeration
- Vertical LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

POSITIVE POINTS



- Versatile design

Durable and aesthetically adaptable, ideal for modern and dynamic environments, providing a premium consumer experience.
- Sustainable

Featuring self-closing pivot doors and double-tempered glass sides, designed to minimize thermal losses and reduce energy costs.
- Superior visibility

With strategically positioned LED lighting and adjustable, inclinable shelves, it elegantly highlights products, boosting sales.
- Uniform refrigeration

The ventilation system ensures even temperature distribution, guaranteeing optimal preservation of displayed products.



BASE PRICE	100	130	150	200	250
Plug-in					On request
Remote					On Request

OPTIONS

Upper sling bar for hooks					On request
Display area in painted plate (RAL)					On request
Display area in AISI 304 stainless steel					On request
Exterior decoration in painted plate (RAL)					On request
Exterior decoration in AISI 304 stainless steel					On request
Treated evaporator					On request
LED lighting on shelves					On request
Supplementary shelf level without lighting					On request
Supplementary shelf level with lighting					On request
Joining kit					On request
Castors with brakes				On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz					On request

COMPLEMENTS

1 level of removable/adjustable hooks (4 units)					On request
1 level of removable/adjustable hooks with price holders (4 units)					On request
1 level of skinplate shelves					On request
1 level of stainless steel shelves					On request
Stainless steel product stopper					On request
Price holder					On request
Acrylic product divider					On request

Custom pallet					Standard
Wooden crate					On request





MULTIDECKS

W081 PC




Length	1045	1280	1545	1990
Depth	810	810	810	810
Height	1952	1952	1952	1952
Net weight	232	245	285	375

STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Front sliding doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

POSITIVE POINTS

- Space optimization  
Designed for dynamic and modern environments, it fits in any store layout, offering maximum flexibility for small, medium, and large businesses.
- Efficient lighting  
Equipped with high-efficiency LEDs and adjustable, inclinable shelves, it provides an attractive display that highlights products and boosts sales.
- Functional solution  
A robust and compact design engineered to maximize display area in busy environments without compromising functionality or aesthetics.
- Uniform refrigeration  
The ventilation system ensures even temperature distribution, guaranteeing optimal preservation of displayed products.



BASE PRICE	100	130	150	200
Plug-in	On request			
Remote	On Request			

OPTIONS

Upper sling bar for hooks	On request	
Display area in painted plate (RAL)	On request	
Display area in AISI 304 stainless steel	On request	
Exterior decoration in painted plate (RAL)	On request	
Exterior decoration in AISI 304 stainless steel	On request	
Treated evaporator	On request	
LED lighting on shelves	On request	
Supplementary shelf level without lighting	On request	
Supplementary shelf level with lighting	On request	
Joining kit	On request	
Castors with brakes	On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request	

COMPLEMENTS

1 level of removable/adjustable hooks (4 units)	On request			
1 level of removable/adjustable hooks with price holders (4 units)	On request			
1 level of skinplate shelves	On request			
1 level of stainless steel shelves	On request			
Stainless steel product stopper	On request			
Price holder	On request			
Acrylic product divider	On request			
Custom pallet	Standard			
Wooden crate	On request			



# F080 PT





Length	1307	1912	2522	3127	3732
Depth	817	817	817	817	817
Height	2230	2230	2230	2230	2230
Net weight	207	264	302	330	356

### STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Self-closing hinged front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Display sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- Vertical LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Adjustable feet

### POSITIVE POINTS

- Accessibility**  
With the cooling unit located at the top and a display area at just 38 cm from the floor, it ensures easy access and maximum product visibility.
- Functional**  
Large load capacity with simplified management thanks to 4 adjustable and inclinable shelves.
- Highlight**  
With 4 adjustable and inclinable shelves, it ensures extensive display while emphasizing product visibility.
- Uniform temperature**  
The ventilated refrigeration system ensures consistent temperature distribution, guaranteeing optimal product preservation.



### BASE PRICE

130

190

250

310

370

Plug-in

On request

Remote

On request

### OPTIONS

Upper sling bar for hooks

On request

Display area in painted plate (RAL)

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Solid sides

Panoramic sides

Supplementary shelf level without lighting

On request

Supplementary shelf level with lighting

On request

Joining kit

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

1 level of skinplate shelves

On request

1 level of stainless steel shelves

On request

Stainless steel product stopper

On request

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request



MULTIDECKS

# F080 SS



Length	1307	1912	2522	3127	3732
Depth	800	800	800	800	800
Height	1973	1973	1973	1973	1973
Net weight	136	180	245	289	331

STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Display sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Adjustable feet
- Night curtain

(Only available in remote version)

POSITIVE POINTS


- Sales boost

Designed to optimize space and facilitate product access, encouraging impulse sales.
- Functional

Large load capacity with simplified management thanks to 4 adjustable and inclinable shelves.
- Adaptable

A solution designed to suit various businesses and display contexts, with unlimited possibilities by multiplexing.
- Uniform temperature

The ventilated refrigeration system ensures consistent temperature distribution, guaranteeing optimal product preservation.



BASE PRICE	130	190	250	310	370
Remote	On request				
OPTIONS					
Upper sling bar for hooks	On request				
Display area in painted plate (RAL)					
Display area in AISI 304 stainless steel	On request				
Exterior decoration in painted plate (RAL)					
Exterior decoration in AISI 304 stainless steel	On request				
Treated evaporator	On request				
LED lighting on shelves	On request				
Solid sides					
Panoramic sides					
Supplementary shelf level without lighting	On request				
Supplementary shelf level with lighting	On request				
Joining kit	On request				
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request				
COMPLEMENTS					
1 level of removable/adjustable hooks (4 units)	On request				
1 level of removable/adjustable hooks with price holders (4 units)	On request				
1 level of skinplate shelves	On request				
1 level of stainless steel shelves	On request				
Stainless steel product stopper	On request				
Price holder	On request				
Acrylic product divider	On request				
Custom pallet	Standard				
Wooden crate	On request				





# EIGER



Length	1272	1982
Depth	788	788
Height	2032	2032
Net weight	307	454

STANDARD

- 4 levels of removable, adjustable, and tiltable shelves
- Self-closing hinged front doors with double tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Solid sides
- Ventilated refrigeration
- Vertical LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

POSITIVE POINTS


- + Dual-temperature solution

Offering two temperature options, it enables the preservation of both fresh and frozen products, making it ideal for businesses requiring flexibility.
- + Easy replenishments

90° door fastener that simplifies replenishments, making them faster and more functional.
- + Highlight

Visibility ensured by 4 adjustable, tiltable shelves and LED lighting, providing an attractive and efficient product display.
- + Functionality

Practical solution with an integrated product stopper system, making it easier to organize displayed products.



BASE PRICE

130

190

Plug-in	On request	On request
Remote	On request	

OPTIONS

Display area in painted plate (RAL)	On request	
Exterior decoration in painted plate (RAL)	On request	
Castors with brakes	On request	On request
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request	

COMPLEMENTS

Price holder	On request	On request
--------------	------------	------------

Custom pallet	Standard	
Wooden crate	On request	On request







MORE THAN A COMPANY, A BUSINESS PARTNER

# SEMI VERTICALS

42 L080 SS  
44 L080 PC

46 L080 AT  
48 L080 PA  
50 L080 PE  
52 L080 PM  
54 L081 SS

56 L081 PC  
58 L081 AT

60 L079 SS  
62 L079 PC  
64 OVERUNDER  
66 UNDERCOUNTER



# L080 SS





Length	1035	1270	1535
Depth	850	850	850
Height	1505	1505	1505
Net weight	179	182	206

### STANDARD

- 2 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Adjustable feet
- Night curtain

### POSITIVE POINTS

- Versatile design  
The combination of modern design, space optimization, and high load capacity makes it perfect for any business.
- Ergonomic accessibility  
The ergonomic design ensures comfortable access for all ages, encouraging an increase in sales.
- Highlight  
LED lighting, tiltable and adjustable shelves for enhanced product visibility.
- Energy efficiency  
Panoramic sides with double tempered glass and an automatic night curtain ensure greater energy savings.



### BASE PRICE

100

130

150

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Additional shelf without lighting

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

On request

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request





# L080 PC



Length	1035	1270	1535
Depth	850	850	850
Height	1505	1505	1505
Net weight	158	182	211

### STANDARD

- 2 levels of shelves, removable, adjustable and tiltable
- Sliding door with double glass
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

### POSITIVE POINTS



- + Sliding doors

Double-tempered glass doors optimize thermal insulation and facilitate access to the interior of the equipment.
- + Ergonomic accessibility

The ergonomic design ensures comfortable access for all ages, encouraging increased sales.
- + Highlight

LED lighting, tiltable and adjustable shelves for better product visibility.
- + Energy efficiency

Panoramic side panels with double-tempered glass and an electrical shutter that help minimize energy loss, offering a balanced solution.



### BASE PRICE

100

130

150

Plug-in

On request

On request

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Additional shelf without lighting

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

Standard

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request



# L080 AT



Length	1035	1270	1535
Depth	933	933	933
Height	1505	1505	1505
Net weight	151	154	190

## STANDARD

- 2 levels of removable, adjustable, and tiltable shelves
- Hinged rear doors
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Adjustable feet
- Night curtain

## POSITIVE POINTS



- + Easy replenishment

With dual opening, it facilitates continuous replenishment , making it ideal for high-traffic stores.
- + Ergonomic accessibility

The ergonomic design ensures comfortable access for all ages, encouraging increased sales.
- + Highlight

LED lighting, tiltable and adjustable shelves for better product visibility.
- + Energy efficiency

Panoramic sides with double tempered glass and an automatic night curtain ensure greater energy savings.



## BASE PRICE

100

130

150

Plug-in

On request

Remote

On request

## OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Additional shelf without lighting

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

## COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

Standard

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request



# L080 PA



Length	1035	1270	1535
Depth	933	933	933
Height	1650	1650	1650
Net weight	190	214	247

### STANDARD

- 2 levels of removable, adjustable, and tiltable shelves
- Hinged rear doors
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Adjustable feet
- Electrical shutter with control key

### POSITIVE POINTS



- + Easy replenishment

Designed with two rear doors and a front electrical shutter, allowing practical and continuous management, ideal for busy stores.
- + Ergonomic accessibility

The ergonomic design ensures comfortable access for all ages, encouraging increased sales.
- + Highlight

LED lighting, tiltable and adjustable shelves for better product visibility.
- + Energy efficiency

Panoramic side panels with double-tempered glass and an electrical shutter that help minimize energy loss, offering a balanced solution.



### BASE PRICE

100

130

150

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Additional shelf without lighting

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

Standard

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request





# L080 PE





Length	1035	1270	1535
Depth	850	850	850
Height	1650	1650	1650
Net weight	134	150	171

### STANDARD

- 2 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Adjustable feet
- Electrical shutter with control key

### POSITIVE POINTS

- Energy control**  
Panoramic side panels with double-tempered glass and an electrical shutter that help minimize energy loss, providing a balanced solution.
- Ergonomic accessibility**  
The ergonomic design ensures comfortable access for all ages, encouraging increased sales.
- Highlight**  
LED lighting, tiltable and adjustable shelves for better product visibility.
- Temperature control**  
The ventilated cooling system ensures uniform temperature distribution, guaranteeing better product preservation and display.



### BASE PRICE

100

130

150

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Additional shelf without lighting

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

Standard

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request



# L080 PM



Length	1035	1270	1535
Depth	850	850	850
Height	1650	1650	1650
Net weight	133	149	170

### STANDARD

- 2 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Adjustable feet
- Manual shutter with key

### POSITIVE POINTS

- Energy control

Panoramic side panels with double-tempered glass and an electrical shutter that help minimize energy loss, providing a balanced solution.

- Ergonomic accessibility



The ergonomic design ensures comfortable access for all ages, encouraging increased sales.

- Highlight

LED lighting, tiltable and adjustable shelves for better product visibility.

- Temperature control

The ventilated cooling system ensures uniform temperature distribution, guaranteeing better product preservation and display.



### BASE PRICE

100

130

150

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Additional shelf without lighting

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

Standard

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request



# L081 SS



Length	1045	1280	1545
Depth	848	848	848
Height	1505	1505	1505
Net weight	172	174	198

## STANDARD

- 2 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Adjustable feet
- Night curtain

## POSITIVE POINTS



- + Resilient design

Designed to adapt to dynamic and demanding spaces while providing a distinctive shopping experience.
- + Ergonomic accessibility

The ergonomic design ensures comfortable access for all ages, encouraging increased sales.
- + Temperature control

The ventilated refrigeration system ensures uniform temperature distribution, guaranteeing better product preservation and display.
- + Energy efficiency

Panoramic side panels with double-tempered glass and an electrical shutter that help minimize energy loss, offering a balanced solution.



## BASE PRICE

100

130

150

Plug-in

On request

Remote

On request

## OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Additional shelf without lighting

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

## COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

Standard

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request





# L081 PC





Length	1045	1280	1545
Depth	850	850	850
Height	1505	1505	1505
Net weight	151	174	203

### STANDARD

- 2 levels of shelves, removable, adjustable and tiltable
- Sliding door with double glass
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

### POSITIVE POINTS

- Optimized design  
Front sliding doors that maximize space utilization while ensuring easy access to products.
- Robust design  
Developed to provide an immediate and distinctive shopping experience, adapting to dynamic and demanding spaces.
- Temperature control  
The ventilated refrigeration system ensures uniform temperature distribution, guaranteeing better product preservation and display.
- Energy savings  
Panoramic side panels with double-tempered glass and front sliding doors with double-tempered glass ensure greater energy efficiency.



### BASE PRICE

100

130

150

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Additional shelf without lighting

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

Standard

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request



# L081 AT





Length	1045	1280	1545
Depth	916	916	916
Height	1505	1505	1505
Net weight	151	154	190

### STANDARD

- 2 levels of removable, adjustable, and tiltable shelves
- Hinged rear doors
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Adjustable feet
- Night curtain

### POSITIVE POINTS

- Easy replenishment  
Designed with two rear doors and a front electrical shutter, allowing practical and continuous management, ideal for busy stores.
- Robust design  
Developed to provide an immediate and distinctive shopping experience, adapting to dynamic and demanding spaces.
- Temperature control  
The ventilated refrigeration system ensures uniform temperature distribution, guaranteeing better product preservation and display.
- Energy efficiency  
Panoramic side panels with double-tempered glass and an automatic night curtain promote more economical operation.



### BASE PRICE

100

130

150

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Additional shelf without lighting

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

Standard

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request



# L079 SS





Length	1035	1270	1535	1980
Depth	850	850	850	850
Height	1295	1295	1295	1295
Net weight	139	165	192	238

### STANDARD

- 2 levels of shelves, removable, adjustable and tiltable
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Adjustable feet
- Night curtain

### POSITIVE POINTS

- Accessibility**  
Designed with a focus on ease of access, facilitating restocking and optimizing impulse sales.
- Product highlight**  
Equipped with LED lighting and adjustable, inclined shelves, effectively showcasing products.
- Adaptability**  
Compact and flexible, it allows for easy adaptation to different store layouts, maximizing available space.
- Visibility**  
An ideal point of sale, thanks to panoramic side panels with double-tempered glass that ensure greater visibility.



### BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On Request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Tempered glass shelf

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

Standard

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request





# L079 PC





Length	1035	1270	1535	1980
Depth	850	850	850	850
Height	1295	1295	1295	1295
Net weight	139	165	192	238

## STANDARD

- 2 levels of shelves, removable, adjustable and tiltable
- Sliding door with double glass
- Display area in skinplate
- Exterior decoration in skinplate
- Panoramic sides with double tempered glass
- Multiplexible
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Adjustable feet

## POSITIVE POINTS

- Energy Class A**  
Can generate up to 89% energy savings compared to conventional solutions, making it the smart choice for those who prioritize efficiency and performance.
- Flexibility**  
Ergonomic and multiplexable structure, maximizing the use of available space and promoting impulse sales in any commercial layout.
- Accessibility**  
Designed with a focus on ease of access, facilitating replenishment and optimizing impulse sales.
- Product highlight**  
Equipped with LED lighting and adjustable, inclined shelves, effectively highlighting products.



## BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On Request

## OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

LED lighting on shelves

On request

Tempered glass shelf

On request

Mirrored glass sides

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

## COMPLEMENTS

1 level of removable/adjustable hooks (4 units)

On request

1 level of removable/adjustable hooks with price holders (4 units)

On request

Stainless steel product stopper

Standard

Price holder

On request

Acrylic product divider

On request

Custom pallet

Standard

Wooden crate

On request



# OVERUNDER





Length	911	1236	1516
Depth	1120	1120	1120
Height	1505	1505	1505
Net weight	224	273	310

## STANDARD

- 2 levels of removable, adjustable, and tiltable shelves
- Sliding rear top doors
- Refrigerated or neutral top display area
- Display area in skinplate
- Exterior decoration in skinplate
- Sides in lacquered MDF (RAL)
- Ventilated refrigeration
- LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Double-glass sides
- Tempered glasses
- Adjustable feet
- Night curtain

## POSITIVE POINTS

- Design and functionality  
Designed for self-service on the lower section and assisted service on the upper section, multiplying service fronts.
- Versatility  
Upper compartment that can be switched between refrigerated or neutral with the simple use of a button.
- Ergonomics  
Inclined ergonomic design that creates proximity, encouraging purchase decisions.
- Adaptable  
Designed to meet current and future needs, offering flexibility and adaptability.



## BASE PRICE

100

130

150

Plug-in

On request

Remote

On request

## OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Castors with brakes

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

## COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)

On request

Staircase exhibitor 2 levels (stainless steel)

On request

Staircase exhibitor 1 level (skinplate)

On request

Staircase exhibitor 2 level (skinplate)

On request

Stainless steel product stopper

On request

Price holder

On request

Custom pallet

Standard

Wooden crate

On request



# UNDERCOUNTER




Length	911	1236	1516
Depth	928	928	928
Height	1085	1085	1085
Net weight	166	199	225

STANDARD

- Display area in skinplate
- Exterior decoration in skinplate
- Sides in lacquered MDF (RAL)
- Ventilated refrigeration
- LED top lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Double-glass sides
- Tempered glasses
- Adjustable feet
- Night curtain

POSITIVE POINTS

- + Design and functionality  
Designed for self-service, combining design and functionality to optimize impulse sales.
- + Easy promotion  
With accessibility that encourages impulse sales, this equipment is ideal for promoting specific offers.
- + Ergonomics  
Inclined ergonomic design that creates proximity, encouraging purchase decisions.
- + Adaptable  
Designed to meet current and future needs, offering flexibility and adaptability.



BASE PRICE

100

130

150

Plug-in

On request

Remote

On request

OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

Supplementary shelf level without lighting

On request

Additional socket

On request

Castors with brakes

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)

On request

Staircase exhibitor 2 levels (stainless steel)

On request

Staircase exhibitor 1 level (skinplate)

On request

Staircase exhibitor 2 level (skinplate)

On request

Stainless steel product stopper

On request

Price holder

On request

Custom pallet

Standard

Wooden crate

On request







MORE THAN A COMPANY, A BUSINESS PARTNER

# SERVE-OVER COUNTERS

- |            |             |
|------------|-------------|
| 70 C100 VD | 96 P080 VE  |
| 72 C100 VA | 98 P081 VD  |
| 74 C100 SS | 100 P081 VE |
| 76 C101 VD | 102 P082 VD |
| 78 C101 VA | 104 P082 VE |
| 80 C101 SS | 106 P070 VD |
| 82 M100 VD | 108 P070 VE |
| 84 M100 VA | 110 P072 VD |
| 86 M100 SS | 112 P072 VE |
| 88 M101 VD | 114 P100 VD |
| 90 M101 VA | 116 P100 VE |
| 92 M101 SS | 118 P102 VD |
| 94 P080 VD | 120 P102 VE |



# C100 VD




Length	1025	1325	1525	1970	2570	2970
Depth	1100	1100	1100	1100	1100	1100
Height	1201	1201	1201	1201	1201	1201
Net weight	139	170	188	232	283	315

## STANDARD

- Base in AISI 304 stainless steel
- Display area in AISI 304 stainless steel
- Exterior decoration in skinplate
- AISI 304 stainless steel worktop
- Polyurethane injected sides
- Multiplexible
- Ventilated refrigeration
- Sliding rear doors
- LED lighting
- Digital thermometer
- Front glass anti-condensation system
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Adjustable stainless steel feet

## POSITIVE POINTS

- Durability  
Durability, hygiene, and resistance ensured by the use of stainless steel in the structural base, display area, and service top.
- Humidity control  
Maintains a relative humidity of 80%, preserving the freshness of the meat without drying it out.
- Versatility  
Ideal for small, medium, and large businesses, with unlimited multiplexable capacity.
- Functionality  
Easy access to the condenser allows for continuous and simple maintenance.



BASE PRICE	100	130	150	200	250	300
Plug-in	On request					
Remote	On Request					

## OPTIONS

Quartz worktop	On Request					
Display area in painted plate (RAL)	On Request					
Exterior decoration in painted plate (RAL)	On Request					
Exterior decoration in AISI 304 stainless steel	On request					
Treated evaporator	On request					
Reversible fan motors	On request					
Supplementary shelf level without lighting	On request					
Supplementary shelf level with lighting	On request					
Additional socket	On Request					
Joining kit	On Request					
Castors with brakes	On Request					
Adjustable stainless steel high feet	On Request					
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On Request					

## COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)	On request					
Staircase exhibitor 2 levels (stainless steel)	On request					
Exposition grid in stainless steel	On Request					
Rilsan coated exhibition grid	On Request					
Integral partition	On request					
Cutting table	On request					
Bags support	On request					
Glass product partition	On request					
Scale support	On request					
Knife support	On request					

Custom pallet	Standard					
Wooden crate	On request					



# C100 VA




Length	1025	1325	1525	1970	2570	2970
Depth	1100	1100	1100	1100	1100	1100
Height	1254	1254	1254	1254	1254	1254
Net weight	137	160	185	230	281	312

## STANDARD

Base in AISI 304 stainless steel  
Display area in AISI 304 stainless steel  
Exterior decoration in skinplate  
AISI 304 stainless steel worktop  
Polyurethane injected sides  
Multiplexible  
Ventilated refrigeration  
Sliding rear doors  
LED lighting  
Digital thermometer  
Front glass anti-condensation system  
Electronic temperature controller  
Programmable automatic defrosting  
Electric evaporation of defrost water  
Tilting front glass  
Tempered glasses  
Adjustable stainless steel feet

## POSITIVE POINTS

- Durability**  
Durability, hygiene, and resistance ensured by the use of stainless steel in the structural base, display area, and service top.
- Humidity control**  
Maintains a relative humidity of 80%, preserving the freshness of the meat without drying it out.
- Versatility**  
Ideal for small, medium, and large businesses, with unlimited multiplexable capacity.
- Functionality**  
Easy access to the condenser enables continuous and simple maintenance.



BASE PRICE	100	130	150	200	250	300
Plug-in	On request					
Remote	On Request					

## OPTIONS

Quartz worktop	On Request					
Display area in painted plate (RAL)	On request					
Exterior decoration in painted plate (RAL)	On request					
Exterior decoration in AISI 304 stainless steel	On request					
Treated evaporator	On request					
Reversible fan motors	On request					
Supplementary shelf level without lighting	On request					
Supplementary shelf level with lighting	On request					
Additional socket	On request					
Joining kit	On request					
Castors with brakes	On request					
Adjustable stainless steel high feet	On request					
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request					

## COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)	On Request					
Staircase exhibitor 2 levels (stainless steel)	On Request					
Exposition grid in stainless steel	On Request					
Rilsan coated exhibition grid	On Request					
Integral partition	On request					
Cutting table	On request					
Bags support	On request					
Glass product partition	On request					
Scale support	On request					
Knife support	On request					
Custom pallet	Standard					
Wooden crate	On Request					





# C100 SS




Length	1025	1325	1525	1970	2570	2970
Depth	1100	1100	1100	1100	1100	1100
Height	881	881	881	881	881	881
Net weight	111	136	150	184	224	248

## STANDARD

Base in AISI 304 stainless steel  
Display area in AISI 304 stainless steel  
Exterior decoration in skinplate  
AISI 304 stainless steel worktop  
Polyurethane injected sides  
Multiplexible  
Ventilated refrigeration  
Digital thermometer  
Electronic temperature controller  
Programmable automatic defrosting  
Electric evaporation of defrost water  
Tempered glasses  
Adjustable stainless steel feet

## POSITIVE POINTS

- Accessibility  
With the work top surface at 89 cm from the ground and the display area at 61 cm, access is made easier and product visibility is ensured, encouraging impulse sales.
- Versatility  
Ideal for small, medium, and large businesses, with unlimited multiplexable capacity.
- Functionality  
Easy access to the condenser allows for continuous and simple maintenance.
- Temperature control  
The ventilated cooling system distributes temperature evenly, ensuring optimal display and preservation of products.



BASE PRICE	100	130	150	200	250	300
Plug-in	On Request					
Remote	On Request					

## OPTIONS

Quartz worktop	On Request					
Display area in painted plate (RAL)	On Request					
Exterior decoration in painted plate (RAL)	On Request					
Exterior decoration in AISI 304 stainless steel	On Request					
Treated evaporator	On Request					
Reversible fan motors	On Request					
Additional socket	On Request					
Joining kit	On Request					
Castors with brakes	On Request					
Adjustable stainless steel high feet	On Request					
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On Request					

## COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)	On Request					
Staircase exhibitor 2 levels (stainless steel)	On Request					
Exposition grid in stainless steel	On Request					
Rilsan coated exhibition grid	On Request					
Integral partition	On request					
Cutting table	On request					
Bags support	On request					
Glass product partition	On request					
Scale support	On request					
Knife support	On request					
Custom pallet	Standard					
Wooden crate	On Request					



# C101 VD




Length	1045	1345	1545	1990	2590	2990
Depth	1101	1101	1101	1101	1101	1101
Height	1200	1200	1200	1200	1200	1200
Net weight	123	154	172	216	267	299

## STANDARD

Base in AISI 304 stainless steel  
Display area in AISI 304 stainless steel  
Exterior decoration in skinplate  
AISI 304 stainless steel worktop  
Polyurethane injected sides  
Multiplexible  
Ventilated refrigeration  
Sliding rear doors  
LED lighting  
Digital thermometer  
Front glass anti-condensation system  
Electronic temperature controller  
Programmable automatic defrosting  
Electric evaporation of defrost water  
Tilting front glass  
Tempered glasses  
Adjustable stainless steel feet

## POSITIVE POINTS

- +** Robust design  
Developed to provide a unique and immediate shopping experience, adapting to dynamic and demanding spaces.
- +** Humidity control  
Maintains a relative humidity of 80%, preserving the freshness of the meat without drying it out.
- +** Adaptability  
Ideal for small, medium, and large businesses, with unlimited multiplexable capacity.
- +** Functionality  
Easy access to the condenser allows for continuous and simple maintenance.



BASE PRICE	100	130	150	200	250	300
Plug-in	On request					
Remote	On Request					

## OPTIONS

Quartz worktop	On Request					
Display area in painted plate (RAL)	On Request					
Exterior decoration in painted plate (RAL)	On Request					
Exterior decoration in AISI 304 stainless steel	On Request					
Treated evaporator	On Request					
Reversible fan motors	On Request					
Supplementary shelf level without lighting	On Request					
Supplementary shelf level with lighting	On Request					
Additional socket	On Request					
Joining kit	On Request					
Castors with brakes	On Request					
Adjustable stainless steel high feet	On Request					
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On Request					

## COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)	On Request					
Staircase exhibitor 2 levels (stainless steel)	On Request					
Exposition grid in stainless steel	On Request					
Rilsan coated exhibition grid	On Request					
Integral partition	On request					
Cutting table	On request					
Bags support	On request					
Glass product partition	On request					
Scale support	On request					
Knife support	On request					
Custom pallet	Standard					
Wooden crate	On request					



# C101 VA




Length	1045	1345	1545	1990	2590	2990
Depth	1101	1101	1101	1101	1101	1101
Height	1254	1254	1254	1254	1254	1254
Net weight	121	144	169	214	265	296

## STANDARD

- Base in AISI 304 stainless steel
- Display area in AISI 304 stainless steel
- Exterior decoration in skinplate
- AISI 304 stainless steel worktop
- Polyurethane injected sides
- Multiplexible
- Ventilated refrigeration
- Sliding rear doors
- LED lighting
- Digital thermometer
- Front glass anti-condensation system
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Adjustable stainless steel feet

## POSITIVE POINTS

- Design and visibility  
Engaging product visibility in a format that adapts to any environment.
- Humidity control  
Maintains a relative humidity of 80%, preserving the freshness of the meat without drying it out.
- Adaptability  
Ideal for small, medium, and large businesses, with unlimited multiplexable capacity.
- Functionality  
Easy access to the condenser allows for continuous and simple maintenance.



BASE PRICE	100	130	150	200	250	300
Plug-in	On request					
Remote	On Request					

## OPTIONS

Quartz worktop	On Request					
Display area in painted plate (RAL)	On Request					
Exterior decoration in painted plate (RAL)	On request					
Exterior decoration in AISI 304 stainless steel	On request					
Treated evaporator	On request					
Reversible fan motors	On request					
Supplementary shelf level without lighting	On request					
Supplementary shelf level with lighting	On request					
Additional socket	On request					
Joining kit	On request					
Castors with brakes	On Request					
Adjustable stainless steel high feet	On Request					
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On Request					

## COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)	On request					
Staircase exhibitor 2 levels (stainless steel)	On request					
Exposition grid in stainless steel	On request					
Rilsan coated exhibition grid	On request					
Integral partition	On request					
Cutting table	On request					
Bags support	On request					
Glass product partition	On request					
Scale support	On request					
Knife support	On request					
Custom pallet	Standard					
Wooden crate	On request					



# C101 SS



Length	1045	1345	1545	1990	2590	2990
Depth	1101	1101	1101	1101	1101	1101
Height	873	873	873	873	873	873
Net weight	95	120	134	168	208	232

## STANDARD

Base in AISI 304 stainless steel  
Display area in AISI 304 stainless steel  
Exterior decoration in skinplate  
AISI 304 stainless steel worktop  
Polyurethane injected sides  
Multiplexible  
Ventilated refrigeration  
Digital thermometer  
Electronic temperature controller  
Programmable automatic defrosting  
Electric evaporation of defrost water  
Tempered glasses  
Adjustable stainless steel feet

## POSITIVE POINTS


- Robust design

With a robust design, it ensures maximum visibility and adapts to dynamic environments, promoting a smooth and impulsive shopping experience.
- Temperature management

The ventilated cooling system distributes temperature evenly, ensuring optimal display and preservation of products.
- Humidity control

Maintains a relative humidity of 80%, preserving the freshness of the meat without drying it out.
- Functionality

Easy access to the condenser allows for continuous and simple maintenance.




BASE PRICE	100	130	150	200	250	300
Plug-in	On request					
Remote	On Request					
OPTIONS						
Quartz worktop	On Request					
Display area in painted plate (RAL)	On Request					
Exterior decoration in painted plate (RAL)	On Request					
Exterior decoration in AISI 304 stainless steel	On request					
Treated evaporator	On request					
Reversible fan motors	On request					
Additional socket	On request					
Joining kit	On request					
Castors with brakes	On request					
Adjustable stainless steel high feet	On request					
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On Request					

## COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)	On request
Staircase exhibitor 2 levels (stainless steel)	On request
Exposition grid in stainless steel	On Request
Rilsan coated exhibition grid	On Request
Integral partition	On request
Cutting table	On request
Bags support	On request
Glass product partition	On request
Scale support	On request
Knife support	On request
Custom pallet	Standard
Wooden crate	On request



# M100 VD




Length	1525	1970	2570
Depth	1100	1100	1100
Height	1201	1201	1201
Net weight	208	261	329

## STANDARD

- Display area in skinplate
- Exterior decoration in skinplate
- Worktop in skinplate
- Polyurethane injected sides
- Middle shelf without lighting
- Refrigerated storage
- Multiplexible
- Ventilated refrigeration
- Sliding rear doors
- LED lighting
- Digital thermometer
- Front glass anti-condensation system
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Adjustable feet

## POSITIVE POINTS

- Efficient management**  
With a strategic shelf that expands the display area and a refrigerated storage, it facilitates continuous restocking and enhances cross-selling opportunities.
- Versatility**  
A flexible and multiplexable solution, ideal for any type of environment or business.
- Functionality**  
Easy access to the condenser allows for continuous and simple maintenance.
- Temperature control**  
The ventilated cooling system distributes temperature evenly, ensuring optimal display and preservation of products.



BASE PRICE	150	200	250
Plug-in		On request	
Remote		On request	

## OPTIONS


Worktop in AISI 304 stainless steel	On request	
Quartz worktop	On request	
Display area in painted plate (RAL)	On request	
Display area in AISI 304 stainless steel	On request	
Exterior decoration in painted plate (RAL)	On request	
Exterior decoration in AISI 304 stainless steel	On request	
Treated evaporator	On request	
Reversible fan motors	On request	
LED lighting in middle shelf	On request	
Refrigerated storage with drawer system	On request	
Additional socket	On request	
Joining kit	On request	
Castors with brakes	On request	
Adjustable stainless steel high feet	On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request	

## COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)	On request	
Staircase exhibitor 2 levels (stainless steel)	On request	
Expositor em escada 1 nível (SK)	On request	
Expositor em escada 2 níveis (SK)	On request	
Integral partition	On request	
Cutting table	On request	
Bags support	On request	
Glass product partition	On request	
Scale support	On request	
Knife support	On request	
Custom pallet	Standard	
Wooden crate	On request	



# M100 VA



Length	1525	1970	2570
Depth	1100	1100	1100
Height	1254	1254	1254
Net weight	210	255	312

## STANDARD

- Display area in skinplate
- Exterior decoration in skinplate
- Worktop in skinplate
- Polyurethane injected sides
- Middle shelf without lighting
- Refrigerated storage
- Multiplexible
- Ventilated refrigeration
- Sliding rear doors
- LED lighting
- Digital thermometer
- Front glass anti-condensation system
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Adjustable feet

## POSITIVE POINTS


- Efficient management

With a strategic shelf that expands the display area and a refrigerated storage, it facilitates continuous restocking and enhances cross-selling opportunities.
- Versatility

A flexible and multiplexable solution, ideal for any type of environment or business.
- Functionality

Easy access to the condenser allows for continuous and simple maintenance.
- Temperature control

The ventilated cooling system distributes temperature evenly, ensuring optimal display and preservation of products.



BASE PRICE	150	200	250
Plug-in		On request	
Remote		On request	

## OPTIONS

Worktop in AISI 304 stainless steel	On request	
Quartz worktop	On request	
Display area in painted plate (RAL)	On request	
Display area in AISI 304 stainless steel	On request	
Exterior decoration in painted plate (RAL)	On request	
Exterior decoration in AISI 304 stainless steel	On request	
Treated evaporator	On request	
Reversible fan motors	On request	
LED lighting in middle shelf	On request	
Refrigerated storage with drawer system	On request	
Additional socket	On request	
Joining kit	On request	
Castors with brakes	On request	
Adjustable stainless steel high feet	On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request	

## COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)	On request	
Staircase exhibitor 2 levels (stainless steel)	On request	
Expositor em escada 1 nível (SK)	On request	
Expositor em escada 2 níveis (SK)	On request	
Integral partition	On request	
Cutting table	On request	
Bags support	On request	
Glass product partition	On request	
Scale support	On request	
Knife support	On request	
Custom pallet	Standard	
Wooden crate	On request	





# M100 SS




Length	1525	1970	2570
Depth	1100	1100	1100
Height	881	881	881
Net weight	174	169	219

## STANDARD

- Display area in skinplate
- Exterior decoration in skinplate
- Worktop in skinplate
- Polyurethane injected sides
- Refrigerated storage
- Multiplexible
- Ventilated refrigeration
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tempered glasses
- Adjustable feet

## POSITIVE POINTS


- Accessibility**  
Designed to ensure easy access and product visibility, enhancing impulse sales.
- Easy replenishment**  
The refrigerated storage facilitates continuous replenishment, providing a faster and more efficient process.
- Versatility**  
A flexible and multiplexable solution, ideal for any type of environment or business.
- Functionality**  
Easy access to the condenser allows for continuous and simple maintenance.



BASE PRICE	150	200	250
Plug-in		On request	
Remote		On request	
OPTIONS			
Worktop in AISI 304 stainless steel		On request	
Quartz worktop		On request	
Display area in painted plate (RAL)		On request	
Display area in AISI 304 stainless steel		On request	
Exterior decoration in painted plate (RAL)		On request	
Exterior decoration in AISI 304 stainless steel		On request	
Treated evaporator		On request	
Reversible fan motors		On request	
Refrigerated storage with drawer system		On request	
Additional socket		On request	
Joining kit		On request	
Castors with brakes		On request	
Adjustable stainless steel high feet		On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz		On request	
COMPLEMENTS			
Staircase exhibitor 1 level (stainless steel)		On request	
Staircase exhibitor 2 levels (stainless steel)		On request	
Expositor em escada 1 nível (SK)		On request	
Expositor em escada 2 níveis (SK)		On request	
Integral partition		On request	
Cutting table		On request	
Bags support		On request	
Glass product partition		On request	
Scale support		On request	
Knife support		On request	
Custom pallet		Standard	
Wooden crate		On request	



# M101 VD



Length	1545	1990	2590
Depth	1101	1101	1101
Height	1201	1201	1201
Net weight	127	270	272

## STANDARD

- Display area in skinplate
- Exterior decoration in skinplate
- Worktop in skinplate
- Polyurethane injected sides
- Middle shelf without lighting
- Refrigerated storage
- Multiplexible
- Ventilated refrigeration
- Sliding rear doors
- LED lighting
- Digital thermometer
- Front glass anti-condensation system
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Adjustable feet

## POSITIVE POINTS


- + Functional design

Bold and robust design, ideal for busy environments, promoting continuous replenishment thanks to its refrigerated storage.
- + Expanded display

Intermediate shelf that increases the display area, highlighting the products and stimulating sales.
- + Flexible

Configurable in a flexible way, with unlimited multiplexable options, making it perfect for any kind of business.
- + Functionality

Easy access to the condenser allows for continuous and simple maintenance.



BASE PRICE	150	200	250
Plug-in		On request	
Remote			

## OPTIONS


Worktop in AISI 304 stainless steel	On request	
Quartz worktop	On request	
Display area in painted plate (RAL)	On request	
Display area in AISI 304 stainless steel	On request	
Exterior decoration in painted plate (RAL)	On request	
Exterior decoration in AISI 304 stainless steel	On request	
Treated evaporator	On request	
Reversible fan motors	On request	
LED lighting in middle shelf	On request	
Refrigerated storage with drawer system	On request	
Additional socket	On request	
Joining kit	On request	
Castors with brakes	On request	
Adjustable stainless steel high feet	On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request	

## COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)	On request	
Staircase exhibitor 2 levels (stainless steel)	On request	
Expositor em escada 1 nível (SK)	On request	
Expositor em escada 2 níveis (SK)	On request	
Integral partition	On request	
Cutting table	On request	
Bags support	On request	
Glass product partition	On request	
Scale support	On request	
Knife support	On request	
Custom pallet	Standard	
Wooden crate	On request	



# M101 VA



Length	1545	1990	2590
Depth	1101	1101	1101
Height	1254	1254	1254
Net weight	185	271	272

### STANDARD

- Display area in skinplate
- Exterior decoration in skinplate
- Worktop in skinplate
- Polyurethane injected sides
- Middle shelf without lighting
- Refrigerated storage
- Multiplexible
- Ventilated refrigeration
- Sliding rear doors
- LED lighting
- Digital thermometer
- Front glass anti-condensation system
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Adjustable feet

### POSITIVE POINTS


- +

**Temperature management**  
The ventilated cooling system distributes temperature evenly, ensuring optimal display and preservation of products.
- +

**Expanded display**  
Intermediate shelf that increases the display area, highlighting the products and stimulating sales.
- +

**Flexible**  
Configurable in a flexible way, with unlimited multiplexable options, making it perfect for any kind of business.
- +

**Functionality**  
Easy access to the condenser allows for continuous and simple maintenance.



BASE PRICE	150	200	250
Plug-in		On request	
Remote		On request	

### OPTIONS

Worktop in AISI 304 stainless steel	On request	
Quartz worktop	On request	
Display area in painted plate (RAL)	On request	
Display area in AISI 304 stainless steel	On request	
Exterior decoration in painted plate (RAL)	On request	
Exterior decoration in AISI 304 stainless steel	On request	
Treated evaporator	On request	
Reversible fan motors	On request	
LED lighting in middle shelf	On request	
Refrigerated storage with drawer system	On request	
Additional socket	On request	
Joining kit	On request	
Castors with brakes	On request	
Adjustable stainless steel high feet	On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request	

### COMPLEMENTS

Staircase exhibitor 1 level (stainless steel)	On request	
Staircase exhibitor 2 levels (stainless steel)	On request	
Expositor em escada 1 nível (SK)	On request	
Expositor em escada 2 níveis (SK)	On request	
Integral partition	On request	
Cutting table	On request	
Bags support	On request	
Glass product partition	On request	
Scale support	On request	
Knife support	On request	
Custom pallet	Standard	
Wooden crate	On request	





# M101 SS




Length	1545	1990	2590
Depth	1101	1101	1101
Height	873	873	873
Net weight	174	212	219

## STANDARD

- Display area in skinplate
- Exterior decoration in skinplate
- Worktop in skinplate
- Polyurethane injected sides
- Refrigerated storage
- Multiplexible
- Ventilated refrigeration
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tempered glasses
- Adjustable feet

## POSITIVE POINTS

- Visibility**  
Designed to facilitate access and ensure excellent product visibility, promoting impulse sales.
- Robust design**  
With a robust design that ensures adaptability to dynamic environments, enhancing the shopping experience.
- Flexible**  
Configurable in a flexible way, with unlimited multiplexable options, making it perfect for any kind of business.
- Functionality**  
Easy access to the condenser allows for continuous and simple maintenance.



BASE PRICE	150	200	250
Plug-in		On request	
Remote		On request	
OPTIONS			
Worktop in AISI 304 stainless steel		On request	
Quartz worktop		On request	
Display area in painted plate (RAL)		On request	
Display area in AISI 304 stainless steel		On request	
Exterior decoration in painted plate (RAL)		On request	
Exterior decoration in AISI 304 stainless steel		On request	
Treated evaporator		On request	
Reversible fan motors		On request	
Refrigerated storage with drawer system		On request	
Additional socket		On request	
Joining kit		On request	
Castors with brakes		On request	
Adjustable stainless steel high feet		On request	
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz		On request	
COMPLEMENTS			
Staircase exhibitor 1 level (stainless steel)		On request	
Staircase exhibitor 2 levels (stainless steel)		On request	
Expositor em escada 1 nível (SK)		On request	
Expositor em escada 2 níveis (SK)		On request	
Integral partition		On request	
Cutting table		On request	
Bags support		On request	
Glass product partition		On request	
Scale support		On request	
Knife support		On request	
Custom pallet		Standard	
Wooden crate		On request	



# P080 VD




Length	1035	1335	1535	1980
Depth	860	860	860	860
Height	1371	1371	1371	1371
Net weight	197	234	263	325

## STANDARD


- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Polyurethane injected sides
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

## POSITIVE POINTS

- Highlight**  
The ideal solution for displaying pastry products with a functional design and high-performance LED lighting.
- Easy operation**  
Hinged front glass system that ensures easy access to the interior, making cleaning simple and efficient.
- Visibility**  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional**  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



1035 - 1335 - 1535 - 1980



BASE PRICE		100	130	150	200
Plug-in		On request			
Remote		On request			
OPTIONS					
Display area in painted plate (RAL)		On request			
Display area in AISI 304 stainless steel		On request			
Exterior decoration in painted plate (RAL)		On request			
Exterior decoration in AISI 304 stainless steel		On request			
Treated evaporator		On request			
Additional socket		On request			
Joining kit		On request			
Castors with brakes		On request			
Adjustable stainless steel high feet		On request			
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz		On request			
COMPLEMENTS					
Integral partition		On request			
Glass product partition		On request			
Scale support		On request			
Custom pallet		Standard			
Wooden crate		On request			



# P080 VE




Length	1035	1335	1535	1980
Depth	860	860	860	860
Height	1371	1371	1371	1371
Net weight	169	184	209	261

### STANDARD


- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Polyurethane injected sides
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

### POSITIVE POINTS

- Highlight**  
The ideal solution for displaying pastry products with a functional design and high-performance LED lighting.
- Easy operation**  
Hinged front glass system that ensures easy access to the interior, making cleaning simple and efficient.
- Visibility**  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional**  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



1035 - 1335 - 1535 - 1980



### BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Scale support

On request

Custom pallet

Standard

Wooden crate

On request





# P081 VD





Length	1045	1345	1545	1990
Depth	860	860	860	860
Height	1371	1371	1371	1371
Net weight	160	197	226	283

### STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Polyurethane injected sides
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

### POSITIVE POINTS

- Robust design  
Developed to provide a unique and immediate shopping experience, adapting to dynamic and demanding spaces.
- Easy operation  
Hinged front glass system that ensures easy access to the interior, making cleaning simple and efficient.
- Visibility  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



### BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Scale support

On request

Custom pallet

Standard

Wooden crate

On request



# P081 VE



Length	1045	1345	1545	1990
Depth	860	860	860	860
Height	1371	1371	1371	1371
Net weight	155	192	221	278

### STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Polyurethane injected sides
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

### POSITIVE POINTS



- + Robust design

Developed to provide a unique and immediate shopping experience, adapting to dynamic and demanding spaces.
- + Easy operation

Hinged front glass system that ensures easy access to the interior, making cleaning simple and efficient.
- + Visibility

Glass shelves and 360° visibility ensure a full display of the products.
- + Functional

Easy access to the condenser, making maintenance and preventive cleaning more efficient.



### BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Scale support

On request

Custom pallet

Standard

Wooden crate

On request



# P082 VD




Length	995	1295	1495	1940
Depth	860	860	860	860
Height	1371	1371	1371	1371
Net weight	172	211	242	297

## STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in lacquered MDF (RAL)
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

## POSITIVE POINTS

- Versatility  
Designed to integrate refrigerated, neutral, and heated equipment in a single line, maintaining a harmonious design.
- Easy operation  
Hinged front glass system that ensures easy access to the interior, making cleaning simple and efficient.
- Visibility  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



## BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

## OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

## COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Scale support

On request

Custom pallet

Standard

Wooden crate

On request





# P082 VE





Length	995	1295	1495	1940
Depth	860	860	860	860
Height	1371	1371	1371	1371
Net weight	167	206	237	292

### STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in lacquered MDF (RAL)
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

### POSITIVE POINTS

- Versatility  
Designed to integrate refrigerated, neutral, and heated equipment in a single line, maintaining a harmonious design.
- Easy operation  
Hinged front glass system that ensures easy access to the interior, making cleaning simple and efficient.
- Visibility  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



### BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Scale support

On request

Custom pallet

Standard

Wooden crate

On request



# P070 VD





Length	1035	1335	1535	1980
Depth	710	710	710	710
Height	1371	1371	1371	1371
Net weight	146	170	193	244

## STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in lacquered MDF (RAL)
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

## POSITIVE POINTS

- Compact**  
With a depth of about 70 cm, it is the ideal solution for small spaces.
- Easy operation**  
Hinged front glass system that ensures easy access to the interior, making cleaning simple and efficient.
- Visibility**  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional**  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



## BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

## OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

## COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Custom pallet

Standard

Wooden crate

On request



# P070 VE



Length	1035	1335	1535	1980
Depth	710	710	710	710
Height	1371	1371	1371	1371
Net weight	140	163	185	235

### STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in lacquered MDF (RAL)
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

### POSITIVE POINTS



- Compact

With a depth of about 70 cm, it is the ideal solution for small spaces.
- Easy operation

Hinged front glass system that ensures easy access to the interior, making cleaning simple and efficient.
- Visibility

Glass shelves and 360° visibility ensure a full display of the products.
- Functional

Easy access to the condenser, making maintenance and preventive cleaning more efficient.



### BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Custom pallet

Standard

Wooden crate

On request



# P072 VD




Length	995	1295	1495	1940
Depth	710	710	710	710
Height	1371	1371	1371	1371
Net weight	158	183	206	259

## STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in lacquered MDF (RAL)
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

## POSITIVE POINTS

- Compact  
With a depth of about 70 cm, it is the ideal solution for small spaces.
- Flexibility  
Adaptable to market trends with the possibility of customizing finishes.
- Visibility  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



## BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

## OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

## COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Custom pallet

Standard

Wooden crate

On request





# P072 VE





Length	995	1295	1495	1940
Depth	710	710	710	710
Height	1371	1371	1371	1371
Net weight	152	176	199	250

## STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in lacquered MDF (RAL)
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

## POSITIVE POINTS

- Compact  
With a depth of about 70 cm, it is the ideal solution for small spaces.
- Flexibility  
Adaptable to market trends with the possibility of customizing finishes.
- Visibility  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



## BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

## OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

## COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Custom pallet

Standard

Wooden crate

On request



# P100 VD





Length	1035	1335	1535	1980
Depth	1060	1060	1060	1060
Height	1371	1371	1371	1371
Net weight	189	218	245	304

### STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Polyurethane injected sides
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

### POSITIVE POINTS

- Expanded capacity  
Optimized to maximize product load and display, reducing the need for frequent replenishment.
- Easy operation  
Hinged front glass system that ensures easy access to the interior, making cleaning simple and efficient.
- Visibility  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



### BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

### OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

### COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Scale support

On request

Custom pallet

Standard

Wooden crate

On request



# P100 VE



Length	1035	1335	1535	1980
Depth	1060	1060	1060	1060
Height	1371	1371	1371	1371
Net weight	182	210	237	294

STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in skinplate
- Polyurethane injected sides
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

POSITIVE POINTS



- +

 Expanded capacity  
Optimized to maximize product load and display, reducing the need for frequent replenishment.
- +

 Flexibility  
Adaptable to market trends with the possibility of customizing finishes.
- +

 Visibility  
Glass shelves and 360° visibility ensure a full display of the products.
- +

 Functional  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Exterior decoration in painted plate (RAL)

On request

Exterior decoration in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Scale support

On request

Custom pallet

Standard

Wooden crate

On request



# P102 VD





Length	995	1295	1495	1940
Depth	1060	1060	1060	1060
Height	1371	1371	1371	1371
Net weight	206	234	262	323

## STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in lacquered MDF (RAL)
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

## POSITIVE POINTS

- Expanded capacity  
Optimized to maximize product load and display, reducing the need for frequent replenishment.
- Easy operation  
Hinged front glass system that ensures easy access to the interior, making cleaning simple and efficient.
- Visibility  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



## BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

## OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

On request

Treated evaporator

On request

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

## COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Scale support

On request

Custom pallet

Standard

Wooden crate

On request





# P102 VE





Length	995	1295	1495	1940
Depth	1060	1060	1060	1060
Height	1371	1371	1371	1371
Net weight	200	227	254	313

## STANDARD

- 3 levels of removable, adjustable, and tiltable shelves
- Display area in skinplate
- Exterior decoration in lacquered MDF (RAL)
- Sliding rear doors
- Multiplexible
- Ventilated refrigeration
- Top LED lighting
- Shelves LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Tilting front glass
- Tempered glasses
- Double-glass sides
- Adjustable feet

## POSITIVE POINTS

- Expanded capacity  
Optimized to maximize product load and display, reducing the need for frequent replenishment.
- Flexibility  
Adaptable to market trends with the possibility of customizing finishes.
- Visibility  
Glass shelves and 360° visibility ensure a full display of the products.
- Functional  
Easy access to the condenser, making maintenance and preventive cleaning more efficient.



## BASE PRICE

100

130

150

200

Plug-in

On request

Remote

On request

## OPTIONS

Display area in painted plate (RAL)

On request

Display area in AISI 304 stainless steel

Treated evaporator

Additional socket

On request

Joining kit

On request

Castors with brakes

On request

Adjustable stainless steel high feet

On request

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz

On request

## COMPLEMENTS

Integral partition

On request

Glass product partition

On request

Scale support

On request

Custom pallet

Standard

Wooden crate

On request







MORE THAN A COMPANY, A BUSINESS PARTNER

# ISLANDS

124 CAYO  
126 CRYSTAL R  
128 HYCE





Length	800	1042	1542	1975
Depth	800	1095	1095	1095
Height	1021	1021	1021	1021
Net weight	126	177	250	300

STANDARD

- 2 sliding doors
- Dual temperature cooling/freezing
- Lateral triple glasses
- Display area in skinplate
- Exterior decoration in skinplate
- Ventilated refrigeration
- Bumper
- LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Castors with brakes

POSITIVE POINTS


- + 360° Visibility

Panoramic display that captures customer attention, boosting sales.
- + Versatility

The dual-temperature design makes it adaptable to market fluctuations and seasonal promotions.
- + Mobility

Mobility ensured by durable casters with brakes.
- + Low energy consumption

Energy use and condensation are reduced thanks to the triple glazing on all four sides.



BASE PRICE		80	100	150	200
Plug-in		On request			
Remote		On Request			
OPTIONS					
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz		On request			
COMPLEMENTS					
Acrylic product divider		On request			
Custom pallet		Standard			
Wooden crate		On request			

ISLANDS

CRYSTAL R



Length	994
Depth	864
Height	933
Net weight	108

STANDARD

- Display area in skinplate
- Exterior decoration in skinplate
- Ventilated refrigeration
- Top bumper
- LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Castors with brakes

POSITIVE POINTS

- + Compact

Designed to fit into limited spaces, expanding the display fronts.
- + Promotional campaigns

Ideal for highlighting products for limited-time offers, driving increased sales.
- + Mobility

Mobility and flexibility, thanks to the sturdy casters with brakes.
- + Visibility

Glass sides for enhanced product display.



BASE PRICE	100
------------	-----


Plug-in	On request
Remote	On request

OPTIONS

Advertisement support	On request
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request

COMPLEMENTS

Acrylic product divider	On request
Custom pallet	Standard
Wooden crate	On request





ISLANDS

HYCE



Length	1507	1977
Depth	1099	1099
Height	899	899
Net weight	190	234

STANDARD

- 2 sliding doors
- Dual temperature cooling/freezing
- Low emissions tempered glass
- Display area in skinplate
- Exterior decoration in skinplate
- Ventilated refrigeration
- Bumper
- LED lighting
- Digital thermometer
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Castors with brakes

POSITIVE POINTS

- + Accessibility

Height designed for easy access and product display.
- + Versatility


Dual-temperature for fresh (0/4°C) or frozen products(-18/-21°C).
- + Adaptability

Ideal for meeting consumer trends and preferences.
- + Practicality

Casters with brakes for easy and secure movement in-store.



BASE PRICE		150	200
Plug-in	On request		
Remote	On request		
<b>OPTIONS</b>			
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request		
<b>COMPLEMENTS</b>			
Acrylic product divider	On request		
Custom pallet	Standard		
Wooden crate	On request		







MORE THAN A COMPANY, A BUSINESS PARTNER

PROMOTIONAL

- 132 BINGO
- 134 LOTO
- 136 ESCAPE PT
- 138 TANGRAM
- 140 UNO



# BINGO



Length	588
Depth	593
Height	1795
Net weight	110

### STANDARD

- 4 levels of removable grid shelves
- Dual temperature cooling/freezing
- Self-closing pivoting front doors with triple tempered glass
- Interior in skinplate
- Exterior in skinplate
- Ventilated refrigeration
- Vertical LED lighting
- Two-way fan motors
- Electronic temperature controller
- Programmable automatic defrosting
- Castors

### POSITIVE POINTS

- Versatility

The bi-temperature system provides complete flexibility to adapt to different consumption needs, keeping products at the ideal temperature and offering greater usage freedom.
- Space optimization

With a compact footprint and maximum load capacity, it is ideal for promotions in establishments with limited space.
- Mobility

Equipped with durable casters with brakes, facilitating quick and secure repositioning, adapting to layout changes in a practical and efficient manner.
- Uniform temperature

The ventilated refrigeration system ensures consistent temperature distribution, guaranteeing optimal product preservation.



BASE PRICE	60
------------	----

Plug-in	On request
Remote	On request


### OPTIONS

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request
---	------------

### COMPLEMENTS

Price holder	On request
--------------	------------

Custom pallet	Standard
Wooden crate	On request





Length	588
Depth	588
Height	1795
Net weight	55

STANDARD

- 4 levels of removable grid shelves
- Self-closing pivoting front doors with double tempered glass
- Interior in skinplate
- Exterior in skinplate
- Ventilated refrigeration
- Vertical LED lighting
- Two-way fan motors
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Castors

POSITIVE POINTS

- +

 Promotional design

Straight, minimalist lines that easily integrate into any commercial environment, allowing for the easy application of visual advertising, enhancing the space.
- +

 Space optimization


With a compact footprint and maximum load capacity, it is ideal for promotions in establishments with limited space.
- +

 Mobility

Equipped with durable casters with brakes, enabling quick and secure repositioning, adapting to layout changes in a practical and efficient way.
- +

 Uniform temperature

The ventilated refrigeration system ensures consistent temperature distribution, guaranteeing optimal product preservation.



BASE PRICE	60
------------	----

Plug-in	On request
Remote	On request

OPTIONS

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request
---	------------

COMPLEMENTS

Price holder	On request
--------------	------------

Custom pallet	Standard
Wooden crate	On request



# ESCAPE PT



Length	474
Depth	508
Height	1612
Net weight	58

## STANDARD

- 3 levels of removable shelves
- Acrylic hinged door
- Interior in skinplate
- Collapsible equipment
- Exterior in polystyrene
- Ventilated refrigeration
- Vertical LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Castors

## POSITIVE POINTS

- Ease of assembly  
A portable unit that can be easily assembled and disassembled without the need of any tools, making relocations completely hassle-free.
- Ideal for promotions  
Designed to meet promotional volatility, this equipment allows for quick customization, enabling simple and effective branding integration, making it the perfect solution for short-term sales campaigns.
- Optimized display  
With 3 removable and adjustable shelves, the equipment offers flexible and effective display options, easily adapting to product and commercial space requirements.
- Mobility  
Ensured by casters with brakes, providing easy and secure transport in any commercial environment.



BASE PRICE	60
------------	----


Plug-in	On request
Remote	On request

## OPTIONS

Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request
---	------------

## COMPLEMENTS

Price holder	
Custom pallet	Standard
Wooden crate	On request



# TANGRAM



Length	475
Depth	494
Height	1250
Net weight	48

## STANDARD

- 2 levels of removable shelves
- Interior in skinplate
- Collapsible equipment
- Exterior in polystyrene
- Ventilated refrigeration
- Vertical LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Automatic evaporation of defrost water
- Castors

## POSITIVE POINTS

- Strategic positioning

With a low-profile design and no door, it easily fits into narrow spaces, such as food aisles or checkout lines, optimizing impulse sales in high-traffic areas.
- Ideal for promotions

Designed to meet promotional volatility, this equipment allows for quick customization, enabling simple and effective branding integration, making it the perfect solution for short-term sales campaigns.
- Optimized display

With 2 removable and adjustable shelves, the equipment offers flexible and effective display options, easily adapting to product and commercial space requirements.
- Mobility

Ensured by casters with brakes, providing easy and secure transport in any commercial environment.



BASE PRICE	45
------------	----


Plug-in	On request
Remote	On request

## OPTIONS

Display area in painted plate (RAL)	On request
Exterior decoration in painted plate (RAL)	On request
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request

## COMPLEMENTS

Price holder	60 €
Custom pallet	Standard
Wooden crate	On request



PROMOCIONAL

UNO



Length	478
Depth	494
Height	1002
Net weight	52

STANDARD

- Display area in skinplate
- Exterior decoration in skinplate
- Ventilated refrigeration
- LED lighting
- Electronic temperature controller
- Programmable automatic defrosting
- Electric evaporation of defrost water
- Castors

POSITIVE POINTS

- + Compact and strategic

With reduced dimensions and easy strategic placement, it encourages impulse buying.
- + Visibility

Acrylic sides providing full product visibility.
- + Easy access

Foldable acrylic shelf ensuring visibility and easy access to the lower level.
- + Mobility

Durable casters with brakes ensure easy and secure movement within the store.



BASE PRICE	45
------------	----


Plug-in	On request
Remote	On request

OPTIONS

1 level of foldable shelf	On request
Trolley for transport	On request
Voltage 115 V~60 Hz / 120 V~60 Hz / 220 V~60 Hz	On request

COMPLEMENTS

Price holder	On request
Custom pallet	Standard
Wooden crate	On request





## NOTES:

**1-**We reserve the right to change or revise specifications and product design in connection with any feature of our products. Such changes do not entitle the buyer to corresponding changes, improvements, additions, or replacements for equipment previously sold or shipped.

**2-**These cases are engineered to operate in locations not exceeding 75°F and 55% R.H. These cases are designed to operate using R290 refrigerant. Alternate refrigerants available by special order. O.A. length includes (2) ends at 1-1/2" each. Ventilation grills at front and back cannot be blocked. B.T.U.'s are calculated at 14°F (evaporator) and 90°F (ambient). Remote cases are provided with an expansion valve and a liquid solenoid for pump down cycle. On remote cases, if no floor drain is provided, a condensate evaporating pan must be ordered and 3.3 amps added to the amp load. Remote cases must be hard wired – no plugs

# CONTACTS

ADDRESS  
2501 CHATHAM RD SUITE R  
SPRINGFIELD, IL 6270

PHONE  
347-8093544  
E-MAIL: SALES@RIMASEE.COM





A RIMASEE CORP. BRAND  
RIMASEE COMMERCIAL EQUIPMENT  
CORPORATION

Address: 1500 Grand Concourse, Suite B41

Bronx, New York 10457, USA

Phone: +1 347-809-3544

Email: [sales@rimasee.com](mailto:sales@rimasee.com)

Website: [www.rimasee.com](http://www.rimasee.com)